



## Renault Retail Products

Tyre Repair Foam  
Windscreen Wash (Ready to Use)  
De-Icer  
Multifunction Grease  
Silicone Lubricant  
Penetrating Oil  
Touch-up Pencils  
Bulb and Fuse Kits

# TYRE REPAIR FOAM



## KEY POINTS

- Instantly reinflates a flat tyre without having to remove the wheel.

## FIELD OF APPLICATION

- Suitable for all tyres up to 175 x 14.

## PHYSICAL AND CHEMICAL APPEARANCE

**Composition:** Emulsion of stabilised synthetic latex.

**Appearance:** Foam.

**Colour:** White.

**Smell:** Fragrance.

## METHOD OF USE

- Remove the object which caused the flat tyre.
- Shake the can well.
- Position the wheel with the valve at the top.
- Inject the foam holding the aerosol upside-down.
- Check the tyre pressure.

## SAFETY PRECAUTIONS

- Do not store at temperatures below 0°C.
- Do not use if the tyre is severely damaged.
- Do not expose to temperatures above 50°C.
- Protect against direct sunlight.
- Do not pierce or burn can even after use.
- Do not spray near a naked flame.
- Keep out of reach of children.
- For further information consult specific COSHH sheet.

PART NUMBER	7711 221 296	400ml aerosol
-------------	--------------	---------------

# WINDSCREEN WASH (READY-TO-USE)



## KEY POINTS

- Ready-to-use, no dilution required.
- Protection against frost down to  $-20^{\circ}\text{C}$ .
- Prevents washer circuit from clogging up.
- Cleans and degreases windscreen.

## FIELD OF APPLICATION

- Windscreen.

## PHYSICAL AND CHEMICAL APPEARANCE

<b>Composition:</b>	Isopropyl alcohol, ethanol detergents, distilled water, colouring.
<b>Appearance:</b>	Liquid.
<b>Colour:</b>	Pink.
<b>Smell:</b>	Fragrance.



## METHOD OF USE

- Refill the reservoir without dilution.

## SAFETY PRECAUTIONS

- Avoid prolonged contact with the skin.
- In case of contact with eyes, wash thoroughly with water.
- In case of ingestion, consult a doctor.
- Keep out of reach of children.
- For further information consult specific COSHH sheet.

## WINTER SCREENWASH

PART NUMBER	7711 238 973	1 litre
PART NUMBER	7711 238 974	2 litres
PART NUMBER	7711 238 976	5 litres

## SUMMER SCREENWASH WITH INSECT REMOVER

PART NUMBER	7711 238 964	1 litre
PART NUMBER	7711 238 965	2 litres
PART NUMBER	7711 238 966	5 litres

# DE-ICER



## KEY POINTS

- Instantly eliminates frost.
- Allows de-icing of locks.

## FIELD OF APPLICATION

- Windows, windcreens, locks, wing mirrors.

## PHYSICAL AND CHEMICAL CHARACTERISTICS

**Composition:** Isopropyl.  
**Appearance:** Liquid.  
**Colour:** Clear.  
**Flash point:** 21°C.

## METHOD OF USE

- Shake the can.
- Spray on the area to defrost.

## SAFETY PRECAUTIONS

- Protect against direct sunlight.
- Do not expose to temperatures above 50°C.
- Do not pierce or burn can even after use.
- Keep out of reach of children.
- For further information consult specific COSHH sheet.

PART NUMBER

7711 221 289

250ml aerosol

# MULTIFUNCTION GREASE



## KEY POINTS

- Lubricant with high penetrating power; resistant to high pressure.
- Repels water and humidity.
- Excellent adherence.
- Anti-rust.
- Anti corrosion.

## FIELD OF APPLICATION

- Chains, axles, cables (under sheath), ball-joints, springs, rotating crowns.

## PHYSICAL AND CHEMICAL APPEARANCE

<b>Composition:</b>	Methylic esters, petrolouem derivatives.
<b>Appearance:</b>	Greasy liquid.
<b>Colour:</b>	Brown.
<b>Density:</b>	0.918g/ml.

## METHOD OF USE

- Shake the aerosol.
- Spray on all parts requiring treatment.

## SAFETY PRECAUTIONS


- Protect against direct sunlight.
- Do not expose to temperatures above 50°C.
- Do not pierce or burn can, even after use.
- Avoid prolonged contact with the skin.
- Keep out of reach of children.
- For further information consult specific COSHH sheet.

PART NUMBER

7711 236 171

250ml aerosol

# SILICONE LUBRICANT



## KEY POINTS

- Suppresses creaks, reduces noises, protects from oxidation.

## FIELD OF APPLICATION

- Hinges, cables, small mechanisms.

## PHYSICAL AND CHEMICAL CHARACTERISTICS

**Composition:** Mineral oil, waxes, silicones, solvents, perfume.

**Appearance:** Liquid.

**Colour:** Clear.

**Smell:** Solvent.

**Flash point:** 275°C.

## METHOD OF USE

- Shake the aerosol.
- Position extension tube on the spray nozzle of aerosol.
- Spray onto all parts requiring treatment.
- Wipe lightly with a soft cloth.

## SAFETY PRECAUTIONS

- Protect against direct sunlight.
- Do not expose to temperatures above 50°C.
- Do not pierce or burn can, even after use.
- Keep out of reach of children.
- For further information consult specific COSHH sheet.

PART NUMBER

7711 236 168

250ml Lubricant

# PENETRATING OIL



## KEY POINTS

- Aids release and eases the removal of rusty or stuck mechanical parts.

## FIELD OF APPLICATION

- Axles, hinges, cables, tubes, spark plugs.

## PHYSICAL AND CHEMICAL CHARACTERISTICS

<b>Composition:</b>	Vegetable and mineral oils, acids, solvents.
<b>Appearance:</b>	Liquid.
<b>Colour:</b>	Slightly amber.
<b>Density:</b>	0.787g/ml.
<b>pH:</b>	6.5.
<b>Flash point:</b>	66°C.

## METHOD OF USE

- Shake the aerosol.
- Position extension tube on the spray nozzle of aerosol.
- Spray onto all parts requiring treatment.
- Leave for a few minutes.
- Repeat the operation in cases of high oxidation.

## SAFETY PRECAUTIONS

- Protect against direct sunlight.
- Do not expose to temperatures above 50°C.
- Do not pierce or burn can, even after use.
- Keep out of reach of children.
- For further information consult specific COSHH sheet.

PART NUMBER

77 11 420 439


250ml aerosol

# TOUCH-UP PENCILS



## KEY POINTS

- Give original colour match to body panels with stone chips, etc.
  - Provides temporary repair to avoid corrosion.
  - More than 120 colours.
- (See touch-up pencil table)



# TOUCH-UP PENCILS

Dealers can access an up to date list of touch up sticks from the Ixell area of Renault.net

Colour Code	Touch-Up Pencil
186	77 11 422 161
190	77 11 422 200
191	77 11 422 203
262	77 11 422 175
266	77 11 422 247
267	77 11 422 243
268	77 11 424 869
296	77 11 422 190
302	77 11 422 160
306	77 11 422 197
348	
369	77 11 422 174
377	77 11 422 186
389	77 11 422 167
396	77 11 422 183
408	77 11 422 163
414	
423	
427	77 11 422 196
432	77 11 422 185
449	
454	77 11 422 178
455	77 11 422 166
456	
460	77 11 422 182
471	77 11 422 187
472	77 11 422 173
489	77 11 422 158
499	
546	
603	77 11 422 195
608	77 11 422 165
620	
630	77 11 422 181
632	77 11 422 193
640	77 11 422 168
643	77 11 422 172

\* not for Retail, only for Workshop.

# TOUCH-UP PENCILS

Dealers can access an up to date list of touch up sticks from the Ixell area of Renault.net

Description	Colour Code	Touch-Up Pencil
	647	77 11 422 189
	671	77 11 422 191
	676	77 11 422 169
	694	77 11 422 157
	699	
	701	77 11 422 159
	713	77 11 422 198
	719	77 11 422 164
	723	77 11 422 180
	727	77 11 422 184
	731	77 11 422 204
	763	77 11 422 176
	777	77 11 422 170
	901	77 11 422 199
	903	77 11 422 171
	920	77 11 422 162
	926	77 11 422 192
	931	77 11 422 194
	941	77 11 422 188
	963	77 11 422 179
	968	
	995	
	999	
	01D	77 11 422 249
	11A	77 11 422 239
	21A	77 11 422 240
	21B	77 11 422 244
	21D	77 11 424 870
	41A	77 11 424 871
	51F	77 11 422 288
	51G	77 11 422 238
	61E	77 11 422 241
	61F	77 11 422 242
	61G	77 11 422 248
	A19	77 11 422 214
	B64	
	B64	77 11 422 207
	B65	77 11 422 208

\* not for Retail, only for Workshop.

# TOUCH-UP PENCILS

Dealers can access an up to date list of touch up sticks from the Ixell area of Renault.net

Colour Code	Touch-Up Pencil
B66	77 11 422 209
B76	77 11 422 210
B79	77 11 422 228
C66	77 11 424 981
C67	77 11 422 222
C68	77 11 422 219
C70	77 11 422 245
C71	77 11 422 265
C99	77 11 422 205
D11	77 11 422 224
D12	77 11 422 225
D14	77 11 422 235
D16	77 11 422 252
D17	77 11 424 872
D18	77 11 422 290
D19	77 11 422 289
D31	77 11 422 258
D32	77 11 422 261
D38	77 11 422 234
D41	77 11 422 201
D42	77 11 422 206
D44	77 11 422 211
D47	77 11 422 215
D48	77 11 422 213
D61	77 11 422 237
D68	77 11 422 262
D69	77 11 422 231
D75	77 11 422 229
D76	77 11 422 236
D90	77 11 422 202
D92	77 11 422 212
D94	77 11 422 266
D95	77 11 422 267
D96	77 11 422 217
D97	77 11 422 216
D99	77 11 422 287
DNB	77 11 422 275

\* not for Retail, only for Workshop.

# TOUCH-UP PENCILS

Dealers can access an up to date list of touch up sticks from the Ixell area of Renault.net

Colour Code	Touch-Up Pencil
DNE	77 11 422 274
DNH	77 11 421 429
DNP	77 11 424 873
ENC	77 11 422 276
ENG	77 11 421 214
ENJ	77 11 424 874
F30	77 11 424 875
F40	77 11422 260
F41	77 11 422 259
F43	77 11 422 218
F47	77 11 422 286
F61	77 11 422 246
F95	77 11 422 264
F96	77 11 422 230
F97	77 11 422 233
F98	77 11 424 876
F99	77 11 422 268
G64	77 11 422 270
GNA	77 11 422 255
GNB	77 11 424 877
HNK	77 11 424 878
HNL	77 11 424 983
I44	77 11 422 223
I45	77 11 422 221
I47	77 11 422 220
J37	77 11 424 879
J41	77 11 422 227
J42	77 11 422 226
J43	77 11 422 263
J45	77 11 422 232
J47	77 11 422 220
J48	77 11 424 880
J49	77 11 422 269
K43	77 11 422 257
K44	77 11 422 271
KNA	77 11 424 881

\* not for Retail, only for Workshop.

# TOUCH-UP PENCILS

Dealers can access an up to date list of touch up sticks from the Ixell area of Renault.net

Colour Code	Touch-Up Pencil
KNF	77 11 422 281
KNG	77 11 424 882
KNK	77 11 424 883
KNL	77 11 424 985
KNM	77 11 424 884
NNC	77 11 422 254
NND	77 11 422 278
NNG	77 11 425 581
NNJ	77 11 424 982
RNA	77 11 422 251
RNC	77 11 422 256
RND	77 11 422 253
RNE	77 11 422 250
RNJ	77 11 422 279
RNK	77 11 422 273
RNL	77 11 424 885
RNM	77 11 422 277
RNP	77 11 422 280
RNR	77 11 422 043
RNT	77 11 424 886
RNW	77 11 424 887
RNZ	77 11 424 888

\* not for Retail, only for Workshop.

# 12V BULBS AND FUSE KITS



Vehicle	Description	Combination	Bulb 1	Bulb 2	Bulb 3	Bulb 4	Bulb 5	Bulb 6	Bulb 7	Fuse Composition	Part Number
Twingo I	Twingo I Kit	H1 H4	H4	H1	P21W	P21/5W	PY21W	W5W	C5W	10:15:20	77 11 421 521
Twingo II	Twingo II Kit	H4	H4	P21W	P21/5W	PY21W	W5W	W5W	W16W	10:15:20	77 11 421 791
Clio II	Clio II Kit Pre-2002 (H1)	H1 H4	H4	H1	P21W	P21/5W	PY21W	W5W	C5W	10:15:20	77 11 421 523
Clio II	Clio II Kit Pre-2002 (HB3)	H7 HB3	H7	HB3	P21W	P21/5W	PY21W	W5W	C5W	10:15:20	77 11 421 524
Clio II	Clio II Kit From 2002	H1 H7	H7	H1	P21W	P21/5W	PY21W	W5W	C5W	10:15:20	77 11 421 525
Clio III	Clio III Halogen Kit	H1 H7	H7	H1	P21W	P21/5W	PY21W	W5W	C5W	7.5:10:15	77 11 421 526
Clio III	Clio III Xenon Kit	H7 H11	H7	H11	P21W	P21/5W	PY21W	W5W	C5W	7.5:10:15	77 11 421 527
Modus	Modus Halogen Kit	H1 H7	H7	H1	P21W	P21/5W	PY21W	W5W	C5W	10:15:20	77 11 421 528
Modus	Modus Xenon Kit	H1 H8	H8	H1	P21W	P21/5W	PY21W	W5W	C5W	10:15:20	77 11 421 529
Kangoo	Kangoo Kit	H1 H4	H4	H1	P21W	P21/5W	PY21W	W5W	C5W	5:10:20	77 11 421 530
Mégane	Mégane I Single Headlights Kit	H1 H4	H4	H1	P21W	P21/5W	PY21W	W5W	C5W	5:10:20	77 11 421 531
Mégane	Mégane I Double Headlights Kit	H1 H7	H7	H1	P21W	P21/5W	PY21W	W5W	C5W	5:10:20	77 11 421 532
Mégane II	Mégane II Kit	H1 H7	H7	H1	P21W	P21/5W	PY21W	W5W	C5W	15:20:25	77 11 421 533
Scenic II	Scenic II Kit	H1 H7	H7	H1	P21W	P21/5W	PY21W	W5W	C5W	15:20:25	77 11 421 533
Laguna	Laguna I Kit	H1 H7	H7	H1	P21W	P21/5W	PY21W	W5W	C5W	7.5:15:20	77 11 421 534
Laguna II	Laguna II Halogen Kit	H1 H7	H7	H1	P21W	P21/5W	PY21W	W5W	C5W	7.5:15:20	77 11 421 535
Laguna II	Laguna II Xenon Kit	H1 H11	H11	H1	P21W	P21/5W	PY21W	W5W	C5W	7.5:15:20	77 11 421 536
Laguna III	Laguna III Kit	H7 H11	H7	H11	P21W	P21/5W	PY21W	W5W	W16W	5:10:20	77 11 421 790
Espace IV	Espace IV Halogen Kit	H3 H7	H7	H3	P21W	P21/5W	PY21W	W5W	C5W	10:15:20	77 11 421 537
Espace IV	Espace IV Xenon Kit	H1 H11	H11	H1	P21W	P21/5W	PY21W	W5W	C5W	10:15:20	77 11 421 538
Vel Satis	Vel Satis Halogen Kit	H7 H9	H7	H9	P21W	P21/5W	PY21W	W5W	C5W	10:15:20	77 11 421 539
Vel Satis	Vel Satis Xenon Kit	H9 H11	H11	H9	P21W	P21/5W	PY21W	W5W	C5W	10:15:20	77 11 421 540
Trafic II Traffic I	Trafic I & II kit	H4	H4	P21W	P21/5W	PY21W	PY21W	W5W		5:10:20	77 11 421 541
Master II	Master II Kit	H1 H7	H7	H1	P21W	P21/5W	PY21W	W5W	C5W	15:20:25	77 11 421 533