



## Hose Clips, Coupling & Exhaust Clamps

Hose clips

Clic clips

Nemo hose clips

Hop tightening clips

Coupling connectors

Exhaust clamps

# HOSE CLIPS

The complete Hose Clip range for the following areas of the vehicle:

- Air
- Water
- Lubricants

This range of clips has been specially sourced for Renault.

	NEMO	CLIC	HOP
Tightening precise torque		•	
Quick Fitting	•	•	
High Tightening Torque	•		
Rounded edges avoiding any damage to hose	•	•	
Degree of elasticity of the clip		• *	
Hinged fastening unit facilitating positioning	•		
Fixed Head			•

\* Except for diameters 2.5 - 10.5.

# CLIC CLIPS




## KEY POINTS

- Degree of elasticity (Clic R).
- Precise tightening torque.
- Non-embossed pack.
- Resistant to salt spray, high anti-corrosion quality.
- Light weight.
- Compact clip.
- Fixing / fastening made easy with special tool (7711 170 337 or 7711 170 950 (45° head)).



7711 170 337



7711 170 950 (45° head)



OPEN



CLOSED

		Diameter (mm)	Description	Pack Size
PART NUMBER	7703 083 209	9.5 - 11	55 - 90	50
PART NUMBER	7703 083 243	10.5 - 12	66 - 100	50
PART NUMBER	7703 083 333	12 - 13.5	R 86 - 115	50
PART NUMBER	7703 083 334	12.5 - 14	R 86 - 120	50
PART NUMBER	7703 083 335	14.5 - 16	R 86 - 140	50
PART NUMBER	7703 083 321	38	R 109	50
PART NUMBER	7703 083 344	86.5	R 109	50

# NEMO HOSE CLIPS



## NEMO FIXING TOOL

7711 170 948

### KEY POINTS

- Stainless steel band with 17% chrome.
- Rounded edges providing flexibility and perfect absorption of the shape of the hose, also avoids cutting the hose clip.
- Embossed rack providing even tightening over a maximum surface area.
- Passivated and galvanised steel, screw and fastening unit ensuring resistance to salt spray (more than 200 hours).
- Hinged fastening unit facilitating positioning.
- 7mm diameter hexagon head screw and screwdriver slot.
- 6mm connection between fastening unit and strip to enable it to be wound effectively and concentrically over a minimum tightening diameter.
- Admissible tightening torque: 4 newtons per metre.
- Average tightening torque of head: 2.5 N/m.



		Diameter (mm)	Pack Size
PART NUMBER	7701 407 061	16 - 27	50
PART NUMBER	7701 407 062	20 - 35	50
PART NUMBER	7701 407 063	25 - 40	50
PART NUMBER	7701 407 064	25 - 47	50
PART NUMBER	7701 407 065	32 - 50	50
PART NUMBER	7701 407 066	40 - 60	50
PART NUMBER	7701 407 067	50 - 70	50
PART NUMBER	7701 407 068	60 - 80	50
PART NUMBER	7701 407 069	70 - 90	50
PART NUMBER	7701 407 070	80 - 100	50

# HOP TIGHTENING CLIPS



## KEY POINTS

- Stainless steel band with 17% chrome, 5mm wide.
- Rounded edges providing flexibility and perfect shape of the hose, also avoids cutting the hose clip.
- 4.5mm diameter hexagon head screwdriver and screwdriver lot.
- 4mm connection between fastening unit and strip to enable it to be wound in a concentric manner, suitable for tightening narrow hoses.
- Average tightening torque of head: 1 N/m.



## HOP FIXING TOOL


7701 408 593

Hop 5 (width 5mm)		Diameter (mm)	Pack Size
PART NUMBER	7701 407 071	7 - 11	100
PART NUMBER	7701 407 072	9 - 14	100
PART NUMBER	7701 407 073	11 - 18	100

Hop 8 M (width 8mm)		Diameter (mm)	Pack Size
PART NUMBER	7711 171 492	8 - 16	100
PART NUMBER	7711 171 493	12 - 22	100

# COUPLING CONNECTORS

## COUPLING




PART NUMBER	7701 038 858	8mm Diameter
PART NUMBER	7701 038 859	10mm Diameter

## HOSE CLIP FIXING TOOL



PART NUMBER	7711 170 540	8mm Diameter
PART NUMBER	7711 170 541	10mm Diameter

## 90° COUPLING



PART NUMBER	7701 038 860	6 - 8mm Diameter
PART NUMBER	7701 038 861	6 - 10mm Diameter

## REPAIR TAPE FOR HOSES

PART NUMBER	7701 421 074	9.15 x 19mm - Black
-------------	--------------	---------------------

# EXHAUST CLAMPS

## KEY POINTS

- A wide range of clamps and rubber supports to fit most vehicle exhaust mountings.
- Two bolts release the lower section of the U clamp.
- All clamps can be stored on the Exhaust clamp stand (7711 172 178).

## EXHAUST CLAMP



7701 405 677	28mm Diameter
7701 405 678	32mm Diameter
7701 405 679	36mm Diameter
7701 405 681	42mm Diameter
7701 405 682	45mm Diameter
7701 405 683	48mm Diameter
7701 405 684	52mm Diameter
7701 405 685	54mm Diameter
7701 405 686	58mm Diameter

## RUBBER EXHAUST MOUNTING



7711 143 329	26mm wide, 6mm Diameter Bolt
7711 143 330	25mm wide, 5mm Diameter Bolt
7711 143 331	27mm wide, 8mm Diameter Bolt
7711 143 332	26mm wide, 10mm Diameter Bolt

## RUBBER SUPPORT



7711 143 333	87mm wide
--------------	-----------

## RUBBER RING SUPPORT



7711 143 334	57mm Diameter
7711 143 335	66mm Diameter
7711 172 182	67mm Diameter

## RUBBER SUPPORT



7711 143 336	48mm Diameter
7711 172 179	Megane Diesel
7711 172 180	Megane Petrol
7711 172 181	Safrane

## RUBBER SUPPORT



7711 143 337	52mm Diameter
--------------	---------------

## EXHAUST COLLAR CLAMP



7711 172 185	50mm Diameter
7711 143 338	58mm Diameter
7711 143 339	69mm Diameter