

sheet metal ancillary equipment

D FIB backing pads



- For silis D Fib discs with Ø22mm fixing.
- Suitable for use in conjunction with angle grinders able to accept 115 or 178mm discs.
- Easy fit & safe operation.
- Comes with 2 locking plates: M14 & 5/8e.

| Description | ∅ | Usage | Shaft ∅ | Packaging | Part No. |
|-------------|-----|-------|---------|-----------|---------------|
| D Fib | 115 | disc | 22 | 1 | 77 11 218 148 |
| D Fib | 178 | disc | 22 | 1 | 77 11 218 149 |

D 1/4 backing pads

- For silis D1/4T, soft D1/4T & polyam D1/4T disc products.
- Quick fit & safe to use.
- Comes with a Ø20mm adapter for angle grinder utilisation.
- For use with the D1/4T abrasive system in conjunction with end or angle grinders / electric or compressed air drills.



| Description | ∅ | Usage | Shaft ∅ | Packaging | Part No. |
|-------------|----|----------------------|---------|-----------|---------------|
| D 1/4 | 50 | female fitting D1/4T | 6 | 1 | 77 11 218 150 |
| D 1/4 | 75 | female fitting D1/4T | 6 | 1 | 77 11 218 151 |

sheet metal ancillary equipment

3M™ Roloc™ backing pad system




- For nylon bristle discs.
- Quick fit & safe to use.
- Comes with a Ø20mm adapter for angle grinder utilisation.
- For use with the 3M™ Roloc™ abrasive system in conjunction with end or angle grinders / electric or compressed air drills.

| Description | Ø | Usage | Shaft Ø | Packaging | Part No. |
|-------------|----|--------------|---------|-----------|---------------|
| Roloc™ | 50 | male fitting | 6 | 1 | 77 11 172 761 |
| Roloc™ | 75 | male fitting | 6 | 1 | 77 01 408 522 |

polyam M mandrel system

- For Polyam M stripping wheels.
- Quick fit & safe to use.
- 2 System options for single or double wheel fit.
- For use in conjunction with Polyam M stripping wheels on end grinders / electric or compressed air drills.



| Description | Ø | Usage | Shaft Ø | Packaging | Part No. |
|-------------|---|--------|---------|-----------|---------------|
| Polyam | 6 | single | 6 | 1 | 77 11 218 152 |
| Polyam | 6 | double | 6 | 1 | 77 11 218 153 |

sheet metal ancillary equipment

polyam COMP mandrel system



- For Polyam CP-M & MW compact stripping wheels.
- 3-13mm Disc >II< capacity.
- For use in conjunction with Polyam CP-M & MW stripping wheels on end grinders / electric or compressed air drills.

| Description | ∅ | >II< | Shaft ∅ | Packaging | Part No. |
|-------------|---|--------|---------|-----------|---------------|
| Polyam COMP | 6 | 3-13mm | 6 | 1 | 77 11 218 154 |

rock M mandrel system


- For Rock M stripping wheels.
- 2 versions:
 - 0.0 - 4.0mm >II< Discs.
 - 4.0 - 10.00mm >II< Discs.
- For use in conjunction with Rock M ∅ 10mm stripping wheels on end grinders / electric or compressed air drills.



| Description | ∅ | >II< | Shaft ∅ | Packaging | Part No. |
|-----------------|----|----------|---------|-----------|---------------|
| Rock M 4.0-10.0 | 10 | 4.0-10.0 | 6 | 1 | 77 11 218 155 |
| Rock M 0.0-4.0 | 10 | 0.0-4.0 | 6 | 1 | 77 11 218 156 |

sheet metal ancillary equipment

adjustable bolt mandrel system



- Adjustable from $>||<$ 0.0-10mm disc width.
- For all \varnothing 10mm stripping wheels.
- For use in conjunction with end grinders / electric or compressed air drills.

| Description | \varnothing | $> <$ | Shaft \varnothing | Packaging | Part No. |
|-------------------------|---------------|----------|---------------------|-----------|---------------|
| Adjustable bolt mandrel | 10 | 0.0-10.0 | 6 | 1 | 77 11 172 783 |

RolocTM + mandrel

- For HP CUS stripping wheels.
- For use in conjunction with end grinders / electric or compressed air drills.



| Description | \varnothing | Packaging | Part No. |
|-------------------------------|---------------|-----------|---------------|
| Roloc+ mandrel roloc + system | 6 | 1 | 77 11 143 513 |