

Colorixell D18 thinner

- Accelerated option for Colorixell Basecoat system.



Description	Packaging	Part No.
Colorixell D 18 thinner	5 L	77 11 170 551

Voc content: 854 grammes / pack
Voc content: 4270 grammes / pack

Oxelia H₂O thinner

- Oxelia H₂O Basecoat thinner.



Description	Packaging	Part No.
Oxelia H ₂ O thinner	1 L	77 11 218 194

Ixia D 28 thinner

- Standard option for Ixia Direct Gloss & Lacquer systems.



Description	Packaging	Part No.
Ixia D 28 thinner	5 L	77 01 408 289

Voc content: 923 grammes / pack
Voc content: 4615 grammes / pack

Ixia D 20 thinner

- Accelerated option for Ixia Direct Gloss & Lacquer systems.
- Allow 20 minutes through cure at 60°C metal temperature.



Description	Packaging	Part No.
Ixia D 20 thinner	5 L	77 01 408 292

Voc content: 881 grammes / pack
Voc content: 4405 grammes / pack

Orium D thinner



- Standard option for Orium Direct Gloss & Lacquer systems.

Description	Packaging	Part No.
Orium D thinner	1 L	77 11 170 274
Orium D thinner	5 L	77 11 170 275

Voc content: 910 grammes / pack
 Voc content: 4550 grammes / pack

Oxelia HS D thinner

- Accelerated & compact Oxelia system.
- Universal thinner for Oxelia direct gloss & lacquer systems in Standard, Accelerated & Compact options.



Description	Packaging	Part No.
Oxelia HS D thinner	5 L	77 11 170 838

Voc content: 4550 grammes / pack

thinner + hardeners

D40 thinner



- Show thinner for paint applications in temperature exceeding +25°C.
- To delay evaporation when temperature is superior to 25°C.
- Universal thinner for Ixia+, Orium+ & Oxelia HS Direct Gloss & Lacquer options.

Description	Packaging	Part No.
D40 thinner	1 L	77 01 404 995

Voc content: 942 grammes / pack

Ixia X 20+ hardener

- Accelerated hardener for Ixia+ Direct Gloss & Lacquer systems.
- 20 minutes cure at 60°C metal temperature.



Description	Packaging	Part No.
Ixia X 20+ hardener	1 L	77 11 220 064

Voc content: 636 grammes / pack